



tablo[®]

Better begins now.

The **Tablo**[®] Hemodialysis System is changing dialysis.

Tablo is designed from the inside out to offer a better experience for patients and providers.

All-in-one technology

Fully integrated with
onboard water purification

Easy to learn & use

Train new nurses in hours,
new patients in days

Connected & intelligent

Streaming data from
Tablo to the cloud



“ Having Tablo in-house has worked really well for us. It’s very intuitive to use. It has been a big benefit for the nurses, the system, the pharmacy, patient outcomes, and everything else from top to bottom. ”

-Nephrologist




Finally, dialysis made easy.

From hospital to home, Tablo simplifies dialysis. Compact in design and simple to set up, with just tap water and an outlet, dialysis can be done virtually anywhere.

“ Now I’m in charge. I do treatment when I want, I feel better, and I have a better quality of life. ”
-Tablo home dialysis patient

Access your Tablo data anywhere, anytime with TabloHub®

Simplify device management with a secure, cloud-based enterprise platform providing centralized reports, and actionable diagnostics.



Key Features

1 WIRELESS CONNECTIVITY

Two-way data communication can automatically send treatment data to the cloud and provide virtual support

2 TOUCHSCREEN GUIDANCE

Animations and conversational instructions make Tablo easy to learn and use

3 SENSOR-BASED AUTOMATION

Tablo sensors help to automate much of the setup, treatment management and maintenance

4 TABLO CARTRIDGE


Minimizes setup and take down time by removing manual steps

5 DIALYSATE ON DEMAND

Purifies water and produces dialysate in real-time

6 MOBILITY

All you need is an electrical outlet and tap water



We are invested in your success

Outset Medical is dedicated to providing an exceptional user experience through our full suite of service offerings designed to meet your specific needs. Our service plans enable dependable support for all elements of the Tablo Hemodialysis System including console, software, and TabloCart.

“ The service has been impeccable. And they stay in touch with you, they walk you through every step of the way. ”
-Director of Nursing

TabloCart

TabloCart is an optional accessory that helps you easily get anywhere. And the prefiltration option is designed to help remove sediment and minerals from supply water before it enters Tablo.



TabloCart with Storage Drawer

- 360-degree rotating wheels
- Directional locking rear wheels
- Storage drawer for supplies

DESIGN FEATURES

Wheels	5-inch, 360-degree rotation, directional locking in the rear
Storage	Integrated drawer for storing supplies
Testing Standards	IEC 60601-1

PHYSICAL SPECIFICATIONS

Dimensions	11.1"H x 22.5"W x 30.0"D
Weight	34 lbs/15 kg



TabloCart with Prefiltration

- Three customizable filter configurations
- Booster pump included
- Visual display for filter life and cart servicing
- 360-degree rotating wheels
- Directional locking rear wheels

DESIGN FEATURES

Wheels	5-inch, 360-degree rotation, directional locking in the rear
Prefiltration	Sediment and/or chlorine/chloramine prefiltration of incoming water for the Tablo Hemodialysis System
Booster Pump	Enhances incoming water pressure
Visual Display	Indicates filter life, cart servicing and water pressure status
Testing Standards	IEC 60601-1

WATER SPECIFICATIONS

Incoming Temperature	5-32 °C
Incoming Pressure	5-80 PSI

PHYSICAL SPECIFICATIONS

Dimensions	11.1"H x 22.5"W x 30.4"D
Weight	34 lbs/15 kg (without filters)

FILTER CONFIGURATION

Filter Configurations	SC: One sediment, one carbon 2S: Two sediment 2C: Two carbon
Recommended Filters	Omnipure ELF XL 5M Sediment, Omnipure ELF XL 1M Chloramines
Filter Replacements	Individually replaceable by user

Tablo Hemodialysis System

TREATMENT SPECIFICATIONS

Blood Flow Rate	Up to 400 mL/min
Extracorporeal Circuit Volume	140 mL (excluding dialyzer)
Maximum Ultra-filtration Rate	2,000 mL/hr
UF Accuracy for DFR \leq 100 mL/min and UF rate \leq 500 mL/hr	\pm 50 mL/hr
UF Accuracy for all other settings	\pm 100 mL/hr
Dialysate Flow Rate (DFR)	PRO+: 50-300 mL/min Std.: 100-300 mL/min
Dialysate Preparation	Standard 45X proportioning
Dialysate Concentrates	Bicarbonate and Acetate/Citrate acid
Dialysis Fluid Potassium (K)	0K, 1K, 2K, 3K
Dialysis Fluid Calcium (Ca)	0, 1.0, 1.5, 1.75, 2.0, 2.25, 2.5, 2.75, 3.0, 3.25, 3.5 Ca
Sodium Setting	130-145 mEq/L
Total Buffer Setting	30-40 mEq/L
Dialysis Fluid Temperature	35-38 °C
Dialyzers	Commercially available high-flux dialyzers
Treatment Duration	PRO+: 5 minutes - 24 hours Std.: 5 minutes - 12 hours

WATER SPECIFICATIONS

Input Water Source	EPA Primary or Secondary standards for drinking water
Incoming Temperature	5-32 °C
Incoming Pressure	30-80 PSI
Filtration	Integrated Sediment, Carbon, RO, Ultrafilter
Outputs Purified Water	AAMI standards met

MAINTENANCE FEATURES

Disinfection	<ul style="list-style-type: none"> Automated heat disinfection (required within 24 hours of any treatment) Full and quick chemical disinfection cycles
Filter Replacements	Individually replaceable by user

USER LEVELS

Professional Care	Enables healthcare professionals to manage all patient information and treatment
Self Care	Enables non-healthcare professionals to manage part of the treatment under supervision

TREATMENT FEATURES

Saline Flush	<ul style="list-style-type: none"> Automatic fluid removal adjustment Manual and scheduled options
Saline Bolus	Manual with automatic volume tracking
Blood Return	Automated and adjustable rate
Blood Pressure	Integrated blood pressure cuff
Wireless Connectivity	Two-way data transfer
Prime Time	8 minutes

TREATMENT MODALITIES

IHD	Intermittent Hemodialysis
SLED/SLEDD	Sustained Low Efficiency Dialysis
PIRRT	Prolonged Intermittent Renal Replacement Therapy
UF	Isolated Ultrafiltration

PHYSICAL SPECIFICATIONS

Dimensions	35.2"H x 17.7"W x 26.9"D
Dry Weight	195 lbs/88 kg